



BRS 43/500 C

Provides exceptional cleaning results and leaves carpets dry enough to re-entry in only 20 minutes. Using encapsulation technology the machine cleans carpets thoroughly with the minimum of effort and downtime.

1 2 contra-rotating rollers


- High cleaning performance due to high contact pressure.
- Simultaneously cleans deep into the pile from two sides and aligns in one direction.

2 2 in 1

- Cleaning fibres and sweeping in a single operation.
- Includes waste container.

TECHNICAL DATA AND EQUIPMENT

KÄRCHER



BRS 43/500 C

On-board iCapsol tank

Counter-rotating rollers ensure machine does not wander

With sweeping mechanism

| Technical data | | |
|--|-------|------------------|
| Order no. | | 1.006-671.0 |
| EAN code | | 4039784497979 |
| Area performance (deep cleaning/ iCapsol intermediate cleaning) | m²/h | 300 |
| Spray pressure, intermediate cleaning | bar | 3.4 |
| Spray rate, intermediate cleaning | l/min | 0.38 |
| Fresh/dirty water tank | 1 | 7.5 |
| Brush motor power | W | 370 |
| Weight | kg | 25 |
| Dimensions (L × W × H) | mm | 400 × 460 × 1160 |
| | | |

| Equipment | | |
|---------------------------------|----------------------|---|
| Working direction | Forward or backwards | |
| iCapsol mode | | |
| On-board iCapsol tank | | • |
| Number of rollers | piece(s) | 2 |
| Included in the scope of supply | | |

Included in the scope of supply.





| | | Order no. | Hardness / Brush type | Length | Colour | Quanti- ty | Price | Description | |
|----------------|---|-------------|--------------------------|--------|--------|---------------|-------|-----------------------|--|
| Roller brushes | | | | | | | | | |
| Roller brush | 1 | 8.640-259.0 | | 430 mm | | 1 piece(s) | | Standard, 2 required. | |
| | 2 | 8.629-774.0 | | 430 mm | | 1 piece(s) | | For wool. | |

■ Included in the scope of supply. □ Available accessories.