



Date: March 8, 2016

SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

Product identifier used on the label: Red Heat

Other means of Identification: 1452

Recommended use of the chemical and restrictions on use: For professional use only.

Manufacturer/Supplier: Jordan Power Equipment
Address: 281 Southwest Ave.
Tallmadge, OH 44278, United States
www.jordanpower.com

Telephone: 800-686-1717

Fax: 330-630-3913

24 Hr. Emergency Tel. #: INFOTRAC 1-800-535-5053 (North America)

SECTION 2 - HAZARDS IDENTIFICATION

Classification of the chemical:

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Label elements:

Signal Word: Danger

Hazard statement(s): Causes severe skin burns and eye burns.

Precautionary statement(s)

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Store locked up.

Dispose of contents/container to an approved waste disposal plant

If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

If on skin (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center or doctor/physician.

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison control center or doctor/physician.

Hazard pictogram(s)



Other hazards not otherwise classified: None determined.

Unknown Acute Toxicity: 1.45% of the mixture consists of ingredient(s) of unknown toxicity.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name, Common Name & Synonyms:	CAS #	Weight-%
Potassium hydroxide	1310-58-3	<5
D-Sodium Silicate Solution	1344-09-8	<1
EDTA	60-00-4	<1
Sodium hydroxide	1310-73-2	<1
Proprietary	Proprietary	<1
Triethanolamine	102-71-6	<1

**** If the chemical name/CAS # is "proprietary" and/or the weight % is shown as a range, this information had been withheld as a trade secret.**

SECTION 4 - FIRST-AID MEASURES

Description of first aid measures:

If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

If on skin (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

If in eyes: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

Most Important symptoms and effects, both acute and delayed: Causes severe skin burns and eye damage.

Indication of any immediate medical attention and special treatment needed: Treat symptomatically

SECTION 5 - FIRE-FIGHTING MEASURES

Extinguishing media:

Suitable extinguishing media: Use extinguishable measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: Not determined.

Special hazards arising from the substance or mixture: Material is corrosive.

Special protective equipment and precautions for firefighters:

Protective equipment for fire-fighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Special fire-fighting procedures: Not applicable.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment as required. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up: Prevent further leakage or spillage if safe to do so. Keep in suitable, closed containers for disposal.

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling: Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Do not breathe dust/fumes/gas/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling.

Conditions for safe storage: Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep out of the reach of children. Store locked up.

Incompatible materials: Acids. Oxidizing agents. Bleach. Do not mix with other chemicals or cleaners.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits:			
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³
Triethanolamine 102-71-6	TWA: 5 mg/m ³	-	
Proprietary	STEL: 400 ppm TWA 200 ppm	TWA: 400 ppm TWA: 960 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	

Exposure controls:

Ventilation and engineering measures: Apply technical measures to comply with the occupational exposure limits. Eyewash stations. Showers.

Respiratory protection: Ensure adequate ventilation, especially in confined areas.

Skin protection: Wear suitable protective clothing.

Eye face protection: Wear approved safety goggles where a splash hazard exists.

Other protective equipment: Not determined

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice. Wash face, hands, and any exposed skin thoroughly after handling. Was contaminated clothing before reuse.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear red liquid

Odor: Bland

Odor threshold: Not determined

pH: 13.2 (concentrate)

Melting/Freezing point: No applicable information available

Initial boiling point and boiling range: 100 °C / 212 °F

Flash point: None to boiling

Flashpoint (Method): No applicable information available

Evaporation rate (BuAe = 1): Similar to water

Flammability (solid, gas): Liquid- not applicable

Lower flammable limit (% by vol.): Not Flammable

Upper flammable limit (% by vol.): Not Flammable

Vapor pressure: No applicable information

available **Vapor density:** No applicable information

available **Relative density:** 8.82 lb/gal

Solubility in water: Soluble

Other solubility(ies): No applicable information available

Partition coefficient: No applicable information available

Auto ignition temperature: No applicable information available

Decomposition temperature: No applicable information available

Viscosity: Similar to water

Volatile organic Compounds (%VOC's): None

Other physical/chemical comments: No applicable information available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: Not normally reactive

Chemical stability: Stable

Possibility of hazardous reactions: No hazardous polymerization

Conditions to avoid: Keep out of reach of children. Do not use in areas without adequate ventilation. Avoid contact with incompatible materials.

Incompatible materials: Acids. Oxidizing agents. Bleach. Do not mix with other chemicals or cleaners.

Hazardous decomposition products: None known based on information supplied.

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry - inhalation: Avoid breathing vapors or mists.

Routes of entry - skin & eye: Causes severe eye damage and skin burns.

Routes of entry - Ingestion: Do not taste or swallow.

Potential Health Effects:

Signs and symptoms of short term (acute) exposure:

Symptoms: Please see Section 4 of this SDS for symptoms.

Potential Chronic Health Effects:

Mutagenicity: Not expected to be mutagenic in humans.

Carcinogenicity: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Chemical name	ACGIH	IARC	NTP	OSHA
Triethanolamine 102-71-6		Group 3		

IARC (international Agency for Research on Cancer)

Group 3 IARC componenets are "not classifiable as human carcinogens"

OSHA (occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive effects: No applicable information available

Sensitization to material: Not applicable

Specific target organ effects: Not applicable

Medical conditions aggravated by overexposure: Not applicable

Toxicological data: Not applicable

See the following table for individual ingredient acute toxicity data.

Chemical name	CAS #	LD ₅₀	LD ₅₀	LC ₅₀
		(Oral, rat)	(Dermal. Rabbit)	(4hr, Inhal., rat)
Water	7732-18-5	> 90mL/kg	-	-
Potassium hydroxide	1310-58-3	= 214 mg/kg	-	-
Alkyl Phenol Ethoxylate	-	= 1310 mg/kg	= 2 mL/kg	-

D-Sodium Silicate Solution	1344-09-8	= 1153 mg/kg	>4640 mg/kg	-
EDTA	60-00-4	=1700 mg/kg	-	-
Sodium hydroxide	1310-73-2	-	=1350 mg/kg	-
Proprietary	-	=20000 mg/kg	=20800 mg/kg	-
Triethanolamine	102-71-6	=4190 mg/kg	> 2000 mg/kg (Rabbit) > 16 mL/kg (rat)	-
Proprietary	-	=4396 mg/kg	=12800 mg/kg (rat) =12870 mg/kg (Rabbit)	=72.6 mg/L 4 h

*All empty cells no applicable information available

Other important toxicological hazards: None reported.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: May be dangerous for the environment. No data is available on the product itself. Should not be released into the environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Potassium hydroxide 1310-58-3	-	80: 96 h <i>Gambusia affinis</i> mg/L LC50 static	-	-
D-Sodium Silica Solution 1344-09-8	-	301-478: 96 h <i>Leppomis macrochirus</i> mg/L LC50 3185: 96 h <i>Brachydanio rerio</i> mg/L LC50 semi-static	-	216: 96 h <i>Daphnia magna</i> mg/L EC50
EDTA 60-00-4	1.01: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	34-62: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 44.2-76.5: 96 h <i>Pimephales promelas</i> mg/L LC50 static	-	113: 48 h <i>Daphnia magna</i> mg/L EC50 Static
Sodium hydroxide 1310-73-2	-	45.4: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	-	-
Proprietary	19000: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50	51600: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 41 -47: 96 h <i>Oncorhynchus mykiss</i> mL/L LC50 static 51400: 96 h <i>Pimephales promelas</i> mg/L LC50 static 710: 96 h <i>Pimephales promelas</i> mg/L LC50	-	10000: 24 h <i>Daphnia magna</i> mg/L EC50 1000: 48 h <i>Daphnia magna</i> mg/L EC50 Static
Triethanolamine	216: 72 h	10600-13000: 96 h	-	1386: 24 h <i>Daphnia</i>

102-71-6	Desmodemus subspicatus mg/L EC50 169: 96 h Desmodemus subspicatus mg/L EC50	Pimephales promelas mg/L LC50 flow-through 1000: 96 h Pimephales promelas mg/L LC50 static 450-1000: 96 h Lepomis macrochirus mg/L LC50 static		magna mg/L EC50
Proprietary	1000: 96 h Desmodemus subspicatus mg/L EC50 1000: 72 h Desmodemus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	-	13299: 48 h Daphnia magna mg/L EC50

Persistence and degradability: No applicable information available

Bioaccumulation potential: No applicable information available.

Mobility in soil:

Chemical Name	Partition Coefficient
Potassium hydroxide 1310-58-3	0.83
Triethanolamine 102-71-6	-2.53

Other Adverse Environmental effects: No applicable information available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Handling for disposal: Disposal should be in accordance with applicable regional, national and local laws and regulations.

Methods of disposal: Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status:

Chemical Name	California Hazardous Waste Status
Potassium hydroxide 1310-58-3	Toxic Corrosive
Sodium hydroxide 1310-73-2	Toxic Corrosive

RCRA: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste UN defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14 - TRANSPORTATION INFORMATION

US 49 CFR/DOT information:

UN No.: UN3266

UN Proper Shipping Name: Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide)

Transport Hazard Class(es): 8

Packing Group: II

Special Transportation Note: Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. This material may meet the definition of a marine pollutant.

SECTION 15 - REGULATORY INFORMATION

TSCA information: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

European EINECs information: All ingredients listed appear on the European EINECs inventory.

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

US Federal Regulations:

CERCLA : This material, as supplied, contains one or more substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity
Potassium hydroxide 1310-58-3	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
EDTA 60-00-4	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Sodium hydroxide 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 313: Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

CWA (Clean Water Act): This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA – Reportable Quantities	CWA – Toxic Pollutants	CWA – Priority Pollutants	CWA – Hazardous Substances
Potassium hydroxide 1310-58-3 (<5)	1000 lb	-	-	X
EDTA 60-00-4 (<1)	5000 lb	-	-	X
Sodium hydroxide 1310-73-2 (<1)	1000 lb	-	-	X

US State Regulations:

California Proposition 65: This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations:

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide 1310-58-3	X	X	X
EDTA 60-00-4	X	X	X
Proprietary	X		X
Triethanolamine 102-71-6	X	X	X
Proprietary	X	X	X

SECTION 16 - OTHER INFORMATION

NFPA:	Health Hazards	Flammability	Instability	Special Hazards
	3	0	0	Cor
HMIS:	Health Hazards	Flammability	Physical Hazards	Personal Protection
	3	0	0	X

Legend:

ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
CFR: Code of Federal Regulations
CSA: Canadian Standards Association
DOT: Department of Transportation
ECOTOX: U.S. EPA Ecotoxicology Database
EINECS: European Inventory of Existing Commercial chemical Substances
EPA: Environmental Protection Agency
HSDB: Hazardous Substances Data Bank
IARC: International Agency for Research on Cancer
IUCLID: International Uniform Chemical Information Database
LC: Lethal Concentration
LD: Lethal Dose
NIOSH: National Institute of Occupational Safety and Health
NTP: National Toxicology Program
OECD: Organization for Economic Co operation and Development
OSHA: Occupational Safety and Health Administration
PEL: Permissible exposure limit
RCRA: Resource Conservation and Recovery Act
RTECS: Registry of Toxic Effects of Chemical Substances
SARA: Superfund Amendments and Reauthorization Act
SDS: Safety Data Sheet Material Safety Data Sheet
STEL: Short Term Exposure Limit
TOG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values
TWA: Time Weighted Average
WHMIS: Workplace Hazardous Materials Identification System

Prepared By:

DISCLAIMER

Information for this material safety data sheet was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of this supplier, it is assumed that users of this material have been fully trained accordingly to the mandatory requirements of GHS. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of, or reliance on, any information contained within this form.

END OF DOCUMENT